

アジア各国の石油製品消費・生産見通し
(2010年基準ケース、2015年アジア低成長ケース)

油種	2002年実績値					2010年					2015年											
	消費 千b/d	構成 %	02/80 %/Y	生産 千b/d	構成 %	02/80 %/Y	純輸出 千b/d	消費 千b/d	構成 %	10/02 %/Y	生産 千b/d	構成 %	10/02 %/Y	純輸出 千b/d	消費 千b/d	構成 %	15/10 %/Y	生産 千b/d	構成 %	15/10 %/Y	純輸出 千b/d	
中国	4830	100.0	5.3	4451	100.0	4.8	-379	7685	100.0	9.0	6915	100.0	9.0	-770	9295	100.0	3.3	8378	100.0	3.9	-917	
製品計	3858	81.5	5.3	3682	82.7	4.7	-252	6520	84.8	8.9	5926	85.7	8.1	-594	7853	85.6	4.1	7215	86.1	4.0	-740	
燃料油計	819	16.9	6.3	939	21.1	6.6	120	1433	18.6	7.3	1433	20.7	5.4	0	1682	18.1	3.5	1682	20.1	3.3	0	
ガソリン	517	10.7	11.8	517	11.6	10.5	0	923	12.0	7.5	761	11.0	4.9	-163	1176	12.7	5.0	922	11.0	3.9	-256	
ナフサ	192	4.0	4.3	180	4.0	3.6	-12	362	4.7	8.3	362	5.2	9.1	0	496	5.3	6.5	435	5.2	3.7	-61	
灯油・JET	1632	33.8	7.3	1656	37.2	6.9	24	2739	35.6	6.7	2705	39.1	6.9	-35	3456	37.2	4.8	3421	40.8	4.8	-95	
軽油	778	16.1	1.3	390	8.8	-2.0	-388	1062	13.8	4.0	666	9.6	6.9	-397	1142	12.3	1.5	754	9.0	2.5	-388	
重油	569	11.8	11.6	425	9.5	10.1	-144	795	10.4	4.3	622	9.0	4.9	-175	933	10.0	3.2	754	9.0	3.9	-179	
LPG	325	6.7	3.1	344	7.7	3.3	19	367	4.8	1.5	366	5.3	0.8	0	408	4.4	2.2	411	4.9	2.3	2	
その他																						
トッパー能力・稼働率	5619	千b/d		稼働率: 79.2 %				7900	千b/d		稼働率: 85.0 %			輸入量/分派 200	9400	千b/d		稼働率: 87.0 %				輸入量/分派 200
香港	292	100.0	3.6	0	0	0	-292	320	100.0	1.7	0	0	0	-320	347	100.0	1.6	0	0	0	0	-347
製品計	268	96.0	3.6	0	0	0	-268	308	96.1	1.7	0	0	0	-308	334	96.2	1.6	0	0	0	0	-334
燃料油計	8	2.9	3.2	0	0	0	-8	11	3.6	4.4	0	0	0	-11	13	3.7	2.0	0	0	0	0	-13
ガソリン	14	5.0	9.1	0	0	0	-14	14	4.3	-0.2	0	0	0	-14	14	4.0	0.0	0	0	0	0	-14
ナフサ	77	27.5	6.7	0	0	0	-77	81	25.2	0.5	0	0	0	-81	83	24.0	0.6	0	0	0	0	-83
灯油・JET	110	39.1	7.7	0	0	0	-110	127	39.6	1.8	0	0	0	-127	138	39.6	1.6	0	0	0	0	-138
軽油	60	21.5	-1.2	0	0	0	-60	75	23.4	-2.8	0	0	0	-75	87	25.0	-3.0	0	0	0	0	-87
重油	8	2.9	5.6	0	0	0	-8	9	2.8	1.2	0	0	0	-9	9	2.7	1.0	0	0	0	0	-9
LPG	3	1.1	2.3	0	0	0	-3	4	1.1	1.7	0	0	0	-4	4	1.1	1.3	0	0	0	0	-4
トッパー能力・稼働率																						
台湾	932	100.0	4.0	1131	100.0	5.2	199	1110	100.0	2.2	1245	100.0	1.2	135	1151	100.0	0.7	1307	100.0	1.0	166	
製品計	799	85.7	3.7	994	88.0	5.3	195	968	87.2	2.4	1106	88.9	1.3	138	1004	87.2	0.7	1161	88.8	1.0	167	
燃料油計	165	17.6	7.7	177	15.6	7.9	12	221	19.9	3.7	269	21.6	5.4	48	241	20.9	1.8	298	22.8	2.1	57	
ガソリン	205	21.9	9.0	326	28.8	12.1	121	363	32.7	7.4	325	26.1	0.0	-38	363	31.5	0.0	327	25.0	0.1	-36	
ナフサ	49	5.3	6.8	65	5.8	6.5	16	60	5.4	2.4	60	4.8	-1.1	0	66	5.8	2.0	66	5.1	2.0	0	
灯油・JET	114	12.2	3.6	178	15.8	4.9	64	124	11.2	1.0	252	20.3	4.4	128	132	11.5	1.3	274	21.0	1.7	142	
軽油	267	28.6	0.7	248	22.0	1.4	-18	200	18.1	-3.5	200	16.1	-2.6	0	202	17.6	0.2	196	15.0	-0.4	-6	
重油	65	7.0	3.8	54	4.8	3.4	-11	65	5.9	0.0	61	4.9	-1.6	-4	66	5.7	0.1	65	5.0	1.3	0	
LPG	68	7.3	9.4	82	7.3	11.0	15	77	6.9	1.6	77	6.2	-0.8	0	81	7.1	1.2	81	6.2	1.0	0	
その他																						
トッパー能力・稼働率	1220	千b/d		稼働率: 92.7 %				1310	千b/d		稼働率: 95.0 %				1376	千b/d		稼働率: 95.0 %				
韓国	2315	100.0	6.9	2427	100.0	7.3	111	2573	100.0	1.3	2613	100.0	0.9	40	2709	100.0	1.0	2747	100.0	1.0	38	
製品計	2022	87.3	6.5	2204	90.8	7.1	182	2234	86.8	1.3	2351	90.0	0.8	117	2358	87.0	1.1	2473	90.0	1.0	114	
燃料油計	170	7.3	10.9	204	8.4	11.7	34	222	8.6	3.4	209	8.0	0.3	-13	261	9.6	3.4	220	8.0	1.0	-42	
ガソリン	658	28.4	12.0	438	18.1	10.1	-220	759	29.5	1.8	470	18.0	0.0	-289	786	29.0	0.7	495	18.0	1.0	-291	
ナフサ	249	10.7	9.7	373	15.4	11.1	125	238	9.2	-0.6	246	9.4	-5.1	8	247	9.1	0.8	302	11.0	4.2	55	
灯油・JET	431	18.6	6.3	623	25.7	8.0	192	486	18.9	1.5	732	28.0	2.0	245	524	19.4	1.5	769	28.0	1.0	245	
軽油	514	22.2	2.7	565	23.3	3.4	51	529	20.6	0.4	695	26.6	2.6	168	540	19.9	0.4	687	25.0	-0.2	147	
重油	234	10.1	12.5	134	5.5	10.1	-100	264	10.3	1.5	183	7.0	4.0	-81	277	10.2	1.0	192	7.0	1.0	-85	
LPG	59	2.6	9.8	89	3.7	11.6	30	75	2.9	3.0	78	3.0	-1.6	4	74	2.7	-0.2	82	3.0	1.0	9	
その他																						
トッパー能力・稼働率	2750	千b/d		稼働率: 88.2 %				2750	千b/d		稼働率: 95.0 %				2892	千b/d		稼働率: 95.0 %				

アジア各国の石油製品消費・生産見通し
 (2010年基準ケース、2015年アジア低成長ケース)

油種	2002年実績値					2010年					2015年												
	消費 千b/d	構成 %/Y	02/80 %/Y	生産 千b/d	構成 %/Y	02/80 %/Y	純輸出 千b/d	消費 千b/d	構成 %/Y	10/02 %/Y	生産 千b/d	構成 %/Y	10/02 %/Y	純輸出 千b/d	消費 千b/d	構成 %/Y	15/10 %/Y	生産 千b/d	構成 %/Y	15/10 %/Y	純輸出 千b/d		
シンガポール																							
製品計	775	100.0	6.3	785	100.0	9.9	11	955	100.0	2.0	1270	100.0	9.2	317	1057	100.0	2.1	1270	100.0	0.0	1270	100.0	219
燃料油計	749	96.5	6.3	671	85.4	9.4	-78	813	85.2	2.5	1105	87.0	8.4	-192	1011	95.6	2.1	1145	90.2	0.7	1145	90.2	134
ガソリン	15	2.0	3.3	82	10.5	0.8	67	17	1.8	1.6	152	12.0	8.0	135	16	1.5	-1.5	152	12.0	0.0	152	12.0	136
ナフサ	87	11.2	20.8	81	10.3	2.6	-6	105	11.0	2.3	127	10.0	5.8	22	123	11.6	3.2	127	10.0	0.0	127	10.0	4
灯油・JET	63	8.2	5.5	131	16.7	-0.7	68	75	7.9	2.2	197	15.5	5.0	122	83	7.8	1.8	167	13.2	-3.2	167	13.2	85
軽油	70	9.1	4.9	236	30.0	2.6	166	85	9.0	2.5	375	29.5	6.0	289	92	8.7	1.5	445	35.0	3.5	445	35.0	353
重油	513	66.2	6.2	141	17.9	-1.5	-372	630	66.1	2.6	254	20.0	7.1	-379	696	66.0	2.1	254	20.0	0.0	254	20.0	444
LPG	17	2.2	5.0	32	4.0	10.3	14	30	3.2	7.4	76	6.0	11.6	46	36	3.4	3.3	36	2.8	-14.0	36	2.8	0
その他	8	1.2	1.6	83	10.6	5.9	74	10	1.0	1.2	69	7.0	0.8	79	10	1.0	0.3	89	7.0	0.0	89	7.0	79
トッパー能力・稼働率	1269	千b/d		稼働率: 61.9 %				1337	千b/d		稼働率: 95.0 %				1337	千b/d		稼働率: 95.0 %					
ブルネイ																							
製品計	12	100.0	5.0	11	100.0	22.9	-1	16	100.0	3.5	10	100.0	-1.2	-9	17	100.0	2.1	10	100.0	0.0	10	100.0	-7
燃料油計	10	83.3	4.4	10	85.7	4.2	0	14	85.7	4.2	7	73.3	-3.1	-9	15	88.2	2.4	7	73.3	0.0	7	73.3	-8
ガソリン	4	37.4	5.4	4	39.7	7.0	0	6	38.5	3.9	4	40.0	-1.1	-2	7	37.5	1.6	4	40.0	0.0	4	40.0	-2
ナフサ	0	1.1	-0.7	0	1.2	0.0	0	0	0.9	0.8	0	1.4	0.8	0	0	0.8	0.0	0	1.4	0.0	0	1.4	0
灯油・JET	2	15.8	6.0	2	15.6	6.0	0	3	15.9	3.6	1	5.9	-12.6	-2	3	18.0	4.7	1	5.9	0.0	1	5.9	-3
軽油	3	26.7	3.0	3	29.0	0.0	0	5	30.3	5.1	3	25.0	-3.1	-2	5	30.3	2.1	3	25.0	0.0	3	25.0	-3
重油	0	0.2	0.1	0	0.2	0.0	0	0	0.1	0.3	0	1.0	22.4	0	0	0.1	0.0	0	1.0	0.0	0	1.0	0
LPG	2	17.2	13.8	2	14.3	12.5	0	2	12.8	-2.2	2	22.4	4.5	0	2	11.8	0.4	2	22.4	0.0	2	22.4	0
その他	0	1.5	0.6	0	0.0	0.0	0	0	1.5	2.9	0	4.3	0.0	0	0	1.4	1.8	0	4.3	0.0	0	4.3	0
トッパー能力・稼働率	9	千b/d		稼働率: 130.6 %				9	千b/d		稼働率: 118.3 %				9	千b/d		稼働率: 118.3 %					
インドネシア																							
製品計	1227	100.0	5.1	1042	100.0	4.9	-185	1605	100.0	3.4	1248	100.0	2.3	-357	1761	100.0	1.9	1419	100.0	2.6	1419	100.0	-342
燃料油計	1171	95.5	4.9	969	93.0	4.9	-202	1541	96.0	3.5	1201	96.3	2.7	-339	1690	96.0	1.9	1344	94.7	2.3	1344	94.7	-346
ガソリン	212	17.3	5.9	194	18.7	7.0	-18	285	17.7	3.7	333	26.7	6.9	48	299	17.0	1.0	338	23.8	0.3	338	23.8	39
ナフサ	14	1.1	1.1	43	4.2	2.9	29	21	1.3	5.2	13	1.0	-14.3	-8	26	1.5	4.4	0	0.0	-100.0	0	0.0	-26
灯油・JET	294	24.0	3.3	187	18.0	4.6	-107	377	23.5	3.1	222	17.8	2.1	-155	426	24.2	2.5	278	19.6	4.7	278	19.6	-148
軽油	490	39.9	6.0	302	28.9	8.2	-188	649	40.4	3.6	314	25.2	0.5	-335	703	39.9	1.6	427	30.1	6.3	427	30.1	-276
重油	161	13.1	4.2	243	23.3	1.5	81	209	13.0	3.3	320	25.7	3.5	111	236	13.4	2.5	301	21.2	-1.2	301	21.2	65
LPG	41	3.3	11.6	39	3.7	4.1	-2	50	3.1	2.5	21	1.7	-7.2	-28	56	3.2	2.4	47	3.3	16.8	47	3.3	-10
その他	15	1.2	5.0	34	3.3	9.0	19	15	0.9	-0.2	25	2.0	-3.8	10	15	0.8	0.0	28	2.0	2.6	28	2.0	14
トッパー能力・稼働率	1073	千b/d		稼働率: 97.2 %				1273	千b/d		稼働率: 98.0 %				1448	千b/d		稼働率: 98.0 %					
マレーシア																							
製品計	460	100.0	4.9	464	100.0	6.5	4	653	100.0	4.5	518	100.0	1.4	-135	804	100.0	4.3	637	100.0	4.2	637	100.0	-168
燃料油計	418	90.8	4.7	387	83.5	5.9	-30	595	91.1	4.5	419	81.0	1.0	-175	732	91.0	4.2	516	81.0	4.2	516	81.0	-216
ガソリン	150	32.5	8.1	94	20.3	7.6	-55	217	33.3	4.8	94	18.2	0.0	-123	266	33.1	4.2	116	18.2	4.2	116	18.2	-151
ナフサ	0	0.0	0.0	0	0.0	0.0	0	0	0.0	0.0	0	0.0	0.0	0	0	0.0	0.0	0	0.0	0.0	0	0.0	0
灯油・JET	39	8.4	5.3	64	13.7	9.2	25	56	8.6	4.8	47	9.0	-3.8	-10	69	8.6	4.3	57	9.0	4.2	57	9.0	-12
軽油	181	39.3	5.6	180	38.8	7.6	-1	259	39.6	4.6	207	40.0	1.8	-52	318	39.6	4.2	255	40.0	4.2	255	40.0	-64
重油	48	10.5	-0.9	49	10.6	0.4	1	63	9.6	3.3	72	13.8	4.8	9	77	9.6	4.3	88	13.8	4.2	88	13.8	11
LPG	27	5.9	9.3	25	5.4	9.4	-2	37	5.7	3.9	52	10.0	9.4	15	47	5.9	4.9	64	10.0	4.2	64	10.0	17
その他	15	3.3	4.8	51	11.0	14.3	36	21	3.2	4.3	47	9.0	-1.2	26	25	3.2	3.8	57	9.0	4.2	57	9.0	32
トッパー能力・稼働率	515	千b/d		稼働率: 90.0 %				545	千b/d		稼働率: 95.0 %				670	千b/d		稼働率: 94.9 %					

アジア各国の石油製品消費・生産見通し
(2010年基準ケース、2015年アジア低成長ケース)

油種	2002年実績値						2010年						2015年									
	消費 千b/d	構成 %	02/80 %/Y	生産 千b/d	構成 %	02/80 %/Y	純輸出 千b/d	消費 千b/d	構成 %	10/02 %/Y	生産 千b/d	構成 %	10/02 %/Y	純輸出 千b/d	消費 千b/d	構成 %	15/10 %/Y	生産 千b/d	構成 %	15/10 %/Y	純輸出 千b/d	
フィリピン	製品計	340	100.0	1.8	266	100.0	1.6	-74	432	100.0	3.0	318	100.0	2.3	-114	511	100.0	3.4	318	100.0	0.0	-193
	燃料油計	304	89.4	1.7	246	92.5	1.7	-58	388	89.8	3.1	277	87.0	1.5	-112	452	88.4	3.5	277	87.0	0.0	-165
	ガソリン	64	18.8	4.0	44	16.7	1.9	-19	103	23.9	6.2	54	17.0	2.5	-49	129	25.3	4.5	54	17.0	0.0	-75
	ナフサ	1	0.2	-6.0	11	4.2	8.3	11	1	0.1	-0.2	16	5.0	4.6	15	1	0.1	0.0	13	4.0	-4.4	12
	灯油・JET	29	8.6	3.7	24	8.9	1.7	-6	40	9.2	3.8	40	12.5	6.7	0	51	10.0	5.2	24	7.5	-9.6	-27
	軽油	135	39.6	4.1	87	32.8	3.1	-47	177	40.9	3.5	65	20.5	-3.6	-111	210	41.1	3.5	84	26.5	5.2	-126
	重油	78	22.9	-1.8	80	29.9	0.1	2	68	15.5	-1.3	102	32.0	3.1	34	71	13.9	0.8	102	32.0	0.0	31
LPG	33	9.8	4.4	17	6.5	2.1	-16	39	9.0	2.1	38	12.0	10.4	1	45	8.7	2.6	38	12.0	0.0	-6	
その他	3	0.8	-2.8	3	1.0	-1.8	0	4	1.0	5.7	3	1.0	2.3	-1	5	0.9	1.6	3	1.0	0.0	-2	
トッパー能力・稼働率	420 千b/d 稼働率: 63.4 %						335 千b/d 稼働率: 95.1 %						335 千b/d 稼働率: 95.1 %									
タイ	製品計	773	100.0	5.7	915	100.0	8.0	42	1036	100.0	3.7	1021	100.0	2.9	-15	1244	100.0	3.7	1229	100.0	3.8	-15
	燃料油計	628	81.0	4.9	712	87.4	7.6	86	856	82.6	4.0	846	82.8	2.2	-10	1032	83.0	3.8	1032	84.0	4.1	0
	ガソリン	120	15.5	5.9	135	16.5	7.6	15	176	17.0	4.9	176	17.2	3.4	0	221	17.8	4.7	221	18.0	4.7	0
	ナフサ	0	0.0	0.0	0	0.0	#DIV/0!	0	0	0.0	0.0	0	0.0	0	0	0	0.0	0.0	0	0.0	0.0	0
	灯油・JET	63	8.1	5.2	87	10.6	7.3	24	85	8.2	3.8	75	7.3	-1.8	-10	101	8.2	3.6	101	8.3	6.3	0
	軽油	298	38.6	6.8	322	39.5	9.0	24	425	41.0	4.5	425	41.6	3.5	0	526	42.3	4.4	526	42.8	4.4	0
	重油	148	18.7	2.1	188	20.7	5.7	24	170	16.4	2.0	170	16.6	0.1	0	183	14.7	1.5	183	14.9	1.5	0
LPG	128	16.5	14.4	84	10.3	13.7	-44	155	14.9	2.4	155	15.2	8.0	0	180	14.4	3.0	173	14.0	2.2	-7	
その他	19	2.5	-2.8	19	2.4	10.2	0	25	2.4	3.3	20	2.0	0.7	-5	32	2.6	5.1	25	2.0	3.8	-8	
トッパー能力・稼働率	991 千b/d 稼働率: 82.2 %						1075 千b/d 稼働率: 95.0 %						1294 千b/d 稼働率: 95.0 %									
베트남	製品計	212	100.0	8.3	0	0	-212	342	100.0	6.2	124	100.0	0	-218	426	100.0	4.5	257	100.0	15.7	-169	
	燃料油計	198	93.4	8.1	0	0	-198	315	92.3	6.0	101	81.7	0	-214	396	93.1	4.7	231	90.0	18.0	-166	
	ガソリン	45	21.4	8.4	0	0	-45	72	21.1	6.0	31	25.0	0	-41	64	21.6	5.0	64	25.0	15.7	-28	
	ナフサ	0	0.0	0.0	0	0	0	0	0.0	0.0	0	0.0	0	0	0	0.0	0.0	0	0.0	0.0	0	
	灯油・JET	15	6.9	4.9	0	0	-15	23	6.8	5.5	21	16.8	0	-2	29	6.7	4.9	29	11.2	6.6	0	
	軽油	87	40.9	8.0	0	0	-87	140	40.9	6.2	31	24.7	0	-109	180	42.2	5.1	100	38.8	26.7	-80	
	重油	51	24.1	9.3	0	0	-51	81	23.7	6.0	19	15.2	0	-62	96	22.6	3.5	38	15.0	15.5	-58	
LPG	10	4.9	23.5	0	0	-10	23	6.6	10.3	23	18.3	0	0	26	6.1	2.7	26	10.0	2.7	0		
その他	4	1.7	6.8	0	0	-4	4	1.1	-0.2	0	0.0	0	-4	4	0.9	0.0	0	0.0	0.0	-4		
トッパー能力・稼働率	0 千b/d 稼働率: %						130 千b/d 稼働率: 95.0 %						270 千b/d 稼働率: 95.0 %									
東アジア・除日	製品計	12157	100.0	5.4	11392	100.0	5.0	-764	16724	100.0	4.1	15281	100.0	3.7	-1443	19323	100.0	2.9	17572	100.0	2.8	-1751
	燃料油計	10501	86.4	5.2	9875	86.7	4.8	-626	14651	87.6	4.3	13340	87.3	3.8	-1311	16988	87.9	3.0	15399	87.6	2.9	-1589
	ガソリン	1772	14.6	6.6	1874	16.5	6.5	102	2763	16.5	5.7	2755	18.0	4.0	-8	3228	16.7	3.2	3149	17.9	2.7	-79
	ナフサ	1495	12.3	11.5	1416	12.4	9.7	-79	2186	13.1	4.9	1711	11.2	2.4	-474	2489	12.9	2.6	1883	10.7	1.9	-606
	灯油・JET	1072	8.8	5.2	1113	9.8	4.7	40	1399	8.4	3.4	1269	8.3	1.7	-130	1655	8.6	3.4	1460	8.3	2.9	-194
	軽油	3551	29.2	6.5	3588	31.5	6.6	37	5215	31.2	4.9	5108	33.4	4.5	-108	6284	32.5	3.6	6303	35.9	4.3	20
	重油	2610	21.5	2.1	1884	16.5	0.7	-726	3087	18.5	2.1	2497	16.3	3.6	-590	3333	17.2	1.5	2603	14.8	0.8	-729
LPG	1136	9.3	10.3	811	7.1	8.6	-325	1472	8.8	3.3	1234	8.1	5.4	-238	1677	8.7	2.6	1397	7.9	2.5	-280	
その他	520	4.3	4.2	706	6.2	5.4	186	601	3.6	1.8	707	4.6	0.0	106	659	3.4	1.9	777	4.4	1.9	118	
トッパー能力・稼働率	13865 千b/d 稼働率: 82.2 %						16663 千b/d 稼働率: 91.7 %						19030 千b/d 稼働率: 92.3 %									

アジア各国の石油製品消費・生産見通し
 (2010年基準ケース、2015年アジア低成長ケース)

油種	2002年実績値						2010年						2015年									
	消費 千b/d	構成 %	02/80 %/Y	生産 千b/d	構成 %	02/80 %/Y	純輸出 千b/d	消費 千b/d	構成 %	10/02 %/Y	生産 千b/d	構成 %	10/02 %/Y	純輸出 千b/d	消費 千b/d	構成 %	15/10 %/Y	生産 千b/d	構成 %	15/10 %/Y	純輸出 千b/d	
インド	製品計	2353	100.0	6.0	2421	100.0	7.2	59	3141	100.0	3.0	3241	100.0	3.7	100	3785	100.0	3.8	3882	100.0	3.7	95
	燃料油計	1891	80.0	5.5	2016	83.3	6.9	124	2476	78.8	3.4	2730	84.2	3.8	283	2990	78.9	3.8	3267	84.1	3.7	277
	ガソリン	171	7.2	7.8	234	9.7	9.4	63	231	7.4	3.8	272	8.4	1.9	41	290	7.6	4.6	295	7.6	1.6	8
	ナフサ	260	11.0	8.1	219	9.1	7.4	-41	336	10.7	3.2	336	10.4	5.5	0	418	11.0	4.5	418	10.8	4.5	0
	灯油・JET	281	11.9	4.2	290	12.0	6.6	10	389	12.4	4.2	389	12.0	3.7	0	440	11.9	2.9	449	11.6	2.9	0
	軽油	836	35.4	4.9	923	38.1	7.8	88	1052	33.5	2.9	1264	39.0	4.0	212	1254	33.1	3.6	1514	39.0	3.7	280
	重油	344	14.6	3.6	348	14.4	4.4	4	469	14.9	3.9	469	14.5	3.8	0	578	15.3	3.3	590	15.2	4.7	11
LPG	261	11.0	12.6	179	7.4	10.9	-82	371	11.8	4.5	292	9.0	6.3	-79	448	11.8	3.8	349	9.0	3.7	-88	
その他	211	8.9	7.1	227	9.4	8.1	16	294	9.4	4.2	220	6.8	-0.4	-74	350	9.2	3.6	267	6.9	4.0	-84	
トッパー能力・稼働率	2135	千b/d		稼働率: 113.4 %				3029	千b/d		稼働率: 107.0 %				3629	千b/d		稼働率: 107.0 %				
その他アジア	製品計	725	100.0	5.2	316	100.0	1.9	-409	1075	100.0	5.1	713	100.0	10.7	-363	1287	100.0	3.7	955	100.0	3.7	-432
	燃料油計	683	94.2	5.2	284	90.1	1.7	-399	1014	94.2	5.1	599	84.1	9.8	-414	1216	94.5	3.7	692	80.9	2.9	-524
	ガソリン	63	8.7	2.6	43	13.5	1.4	11	80	7.4	3.0	85	11.9	9.0	5	91	7.1	2.7	91	10.7	1.4	0
	ナフサ	3	0.4		14	4.4	1.8	11	3	0.2	-0.2	3	0.4	-18.7	0	3	0.2	0.0	0	0.0	-100.0	-3
	灯油・JET	77	10.6	2.3	41	12.9	1.1	-37	113	10.5	4.9	113	15.9	13.7	0	145	11.3	5.1	145	17.0	5.1	0
	軽油	325	44.9	6.0	102	32.2	2.6	-224	483	45.0	5.1	184	25.8	7.7	-299	583	45.3	3.8	199	23.3	1.6	-384
	重油	215	29.6	6.9	86	27.1	1.3	-129	334	31.1	5.7	214	30.0	12.1	-120	394	30.6	3.4	257	30.0	3.7	-137
LPG	22	3.1	7.3	12	3.8	4.3	-10	36	3.4	6.1	78	10.9	26.3	42	41	3.2	2.4	121	14.1	9.1	80	
その他	19	2.7	2.8	19	6.1	2.5	0	26	2.4	3.8	36	5.0	8.0	10	30	2.3	3.1	43	5.0	3.7	13	
トッパー能力・稼働率	442	千b/d		稼働率: 71.4 %				720	千b/d		稼働率: 99.0 %				864	千b/d		稼働率: 99.0 %				
アジア・除日	製品計	15244	100.0	5.5	14129	100.0	5.2	-1116	20940	100.0	4.0	19234	100.0	3.9	-1706	24398	100.0	3.1	22311	100.0	3.0	-2087
	燃料油計	13076	85.8	5.2	12175	86.2	5.0	-900	18141	86.6	4.2	16669	86.7	4.0	-1472	21194	86.9	3.2	19358	86.8	3.0	-1896
	ガソリン	2006	13.2	6.5	2151	15.2	6.5	145	3074	14.7	5.5	3113	16.2	4.7	38	3609	14.8	3.3	3536	15.8	2.6	-73
	ナフサ	1758	11.5	10.9	1650	11.7	9.2	-108	2524	12.1	4.6	2050	10.7	2.8	-474	2910	11.9	2.9	2301	10.3	2.3	-609
	灯油・JET	1430	9.4	4.8	1443	10.2	4.9	13	1902	9.1	3.6	1771	9.2	2.6	-130	2249	9.2	3.4	2054	9.2	3.0	-194
	軽油	4712	30.9	6.3	4613	32.6	6.7	-99	6751	32.2	4.6	6556	34.1	4.5	-195	8121	33.3	3.8	8017	35.9	4.1	-104
	重油	3169	20.8	2.4	2318	16.4	1.1	-851	3890	18.6	2.6	3180	16.5	4.0	-710	4306	17.6	2.0	3450	15.5	1.6	-856
LPG	1419	9.3	10.5	1002	7.1	8.9	-417	1879	9.0	3.6	1603	8.3	6.1	-275	2165	8.9	2.9	1867	8.4	3.1	-288	
その他	750	4.9	4.8	952	6.7	5.8	202	921	4.4	2.6	962	5.0	0.1	41	1039	4.3	2.5	1086	4.9	2.5	47	
トッパー能力・稼働率	16442	千b/d		稼働率: 85.9 %				20412	千b/d		稼働率: 94.2 %				23523	千b/d		稼働率: 94.8 %				

アジア各国の石油製品消費・生産見通し
(2010年基準ケース、2015年アジア低成長ケース)

油種	2002年実績値							2010年							2015年							
	消費 千b/d	構成 %	02/80 %/Y	生産 千b/d	構成 %	02/80 %/Y	純輸出 千b/d	消費 千b/d	構成 %	10/02 %/Y	生産 千b/d	構成 %	10/02 %/Y	純輸出 千b/d	消費 千b/d	構成 %	15/10 %/Y	生産 千b/d	構成 %	15/10 %/Y	純輸出 千b/d	
アジア	20819	100.0	3.7	18575	100.0	3.5	-2244	26295	100.0	3.0	23734	100.0	3.1	-2561	29544	100.0	2.4	26910	100.0	2.5	-2734	
製品計	17681	84.9	3.5	16077	86.5	3.3	-1605	22455	85.4	3.0	20481	86.3	3.1	-1974	25204	85.6	2.4	23155	86.4	2.5	-2129	
燃料油計	3004	14.4	4.9	3117	16.8	5.0	113	4079	15.5	3.9	4084	17.2	3.4	5	4534	15.3	2.1	4534	16.9	2.1	0	
ガソリン	2565	12.3	6.5	1955	10.5	5.6	-610	3213	12.2	2.9	2297	9.7	2.0	-916	3577	12.1	2.2	2549	9.5	2.1	-1028	
ナフサ	2215	10.6	3.7	2133	11.5	3.6	-82	2629	10.0	2.2	2469	10.4	1.8	-160	2963	10.0	2.4	2770	10.3	2.3	-194	
灯油・JET	6010	28.9	5.2	5881	31.7	5.4	-130	8000	30.4	3.6	7805	32.9	3.6	-195	9324	31.6	3.1	9219	34.4	3.4	-104	
軽油	3887	18.7	9.4	2990	16.1	9.5	-898	4534	17.2	1.9	3826	16.1	3.1	-708	4887	16.5	1.5	4084	15.2	1.3	-802	
重油	2086	10.0	5.6	1330	7.2	5.8	-757	2611	9.9	2.8	1982	8.4	5.1	-629	2914	9.9	2.2	2263	8.4	2.7	-651	
LPG	1051	5.0	3.7	1169	6.3	4.4	118	1229	4.7	2.0	1271	5.4	1.0	41	1346	4.6	1.8	1392	5.2	1.8	46	
その他																						
トッパー能力・稼働率	21209	千b/d			稼働率: 81.6	%		25148	千b/d				稼働率: 94.4	%		28259	千b/d			稼働率: 94.9	%	
世界	77831	100.0	1.1	74653	100.0	0.9	-3179	90064	100.0	1.8	90064	100.0	2.4	0	99217	100.0	2.0	99217	100.0	2.0	0	
製品計	64056	82.3	0.9	63677	85.3	0.8	-379	74573	82.8	1.9	74573	82.8	2.0	0	82423	83.1	2.0	82423	83.1	2.0	0	
燃料油計	19401	24.9	1.6	19096	25.6	1.5	-304	22804	25.3	2.0	22804	25.3	2.2	0	24923	25.1	1.8	24923	25.1	1.8	0	
ガソリン	4477	5.8	3.3	4087	5.5	2.6	-389	5324	5.9	2.2	5324	5.9	3.4	0	5855	5.9	1.9	5855	5.9	1.9	0	
ナフサ	6523	8.4	2.1	6493	8.7	1.9	-30	7997	8.9	2.6	7997	8.9	2.6	0	9119	9.2	2.7	9119	9.2	2.7	0	
灯油・JET	22214	28.5	2.0	22027	29.5	1.8	-187	26282	29.2	2.1	26282	29.2	2.2	0	29374	29.6	2.2	29374	29.6	2.2	0	
軽油	11442	14.7	2.1	11974	16.0	1.9	532	12166	13.5	0.8	12166	13.5	0.2	0	13151	13.3	1.6	13151	13.3	1.6	0	
重油	8492	10.9	3.0	5199	7.0	0.8	-3293	9588	10.6	1.5	9588	10.6	7.9	0	10437	10.5	1.7	10437	10.5	1.7	0	
LPG	5283	6.8	1.6	5776	7.7	1.9	493	5903	6.6	1.4	5903	6.6	0.3	0	6357	6.4	1.5	6357	6.4	1.5	0	
その他																						
トッパー能力・稼働率	83.536	千b/d			稼働率: 89.4	%		98.014	千b/d				稼働率: 91.9	%		109.437	千b/d			稼働率: 90.7	%	